

CLAIM AMENDMENTS

1. (currently amended): A mirror, comprising:
a detachable, household or bathroom mirror that is operably combined with a second mirror with a removably attachable fastener and operably positioned at a non-parallel angle with respect to the second mirror;
wherein the detachable mirror, when combined with the second mirror and positioned at the non-parallel angle, creates a multi-panel, multi-angled mirror system.
2. (currently amended): The mirror of claim [[1]]27 wherein the system is created from at least two, separate and distinctly angled, mirrors.
3. (currently amended): The mirror of claim [[1]]27 wherein the second mirror is a stationary mirror.
4. (currently amended): The mirror according to claim [[1]]27 wherein the detachable mirror can be adjustably positioned at many non-parallel angles with respect to the second mirror with a hinge.
5. (original): The mirror of claim 4 wherein the hinge comprises a living hinge, a continuous hinge, or a pin hinge.
6. (original): The mirror of claim 4 wherein the hinge has two leafs, the first leaf being permanently affixed to the detachable mirror and the second leaf being permanently affixed to the removably attachable fastener.
7. (original): The mirror of claim 6 wherein the attachable fastener comprises a clip, a hanger, a removable adhesive, or a suction cup.
8. (currently amended): The mirror of claim [[1]]27 wherein the attachable fastener comprises a clip, a hanger, a removable adhesive, or a suction cup.
9. (currently amended): The mirror of claim [[1]]27 wherein the detachable mirror is portable.

10. (original): The mirror of claim 9 wherein the detachable mirror is made of a lightweight material.
11. (original): The mirror of claim 9 wherein the detachable mirror comprises plastic.
12. (original): The mirror of claim 11 wherein the detachable mirror comprises acrylic, polypropylene, polyethylene, polystyrene, or polycarbonate.
13. (currently amended): The mirror of claim ~~[[1]]~~27 wherein the detachable mirror operates as a side panel in a three-panel system, and is rotatably interchangeable with an opposite-side panel in the three-panel system.
14. (currently amended): The mirror of claim ~~[[1]]~~27 wherein the second mirror is a non-stationary mirror.
15. (currently amended): The mirror of claim ~~[[1]]~~27 wherein the removably attachable fastener comprises a suction cup.
16. (currently amended): The mirror of claim ~~[[1]]~~27 wherein the detachable mirror maintains its position with respect to the second mirror.
17. (original): The mirror of claim 16 wherein the detachable mirror has a hinge indexing device.
18. (original): The mirror of claim 17 wherein the hinge indexing device comprises a spur gear.
19. (currently amended): A mirror panel assembly, comprising:
 - a detachable household or bathroom mirror;
 - a rotation enabling device; and
 - a removably attachable fastener;wherein the detachable mirror is operably mounted onto a face of a second mirror with the removably attachable fastener and operably positioned at a non-parallel angle with respect

to the face of the second mirror.

20. (currently amended): The mirror panel assembly of claim [[19]]28 wherein the detachable mirror, when combined with the second mirror and positioned at the non-parallel angle, creates a multi-panel, multi-angled mirror system.

21. (currently amended): The mirror panel assembly of claim [[19]]28 wherein the rotation enabling device comprises a living hinge, a continuous hinge, or a pin hinge, and the removably attachable fastener comprises a clip, a clamp, a hanger, a bracket, a magnet, a removable adhesive, or a suction cup.

22. (currently amended): A method of creating a portable three-way mirror system, comprising: securing a rotation enabling device to a portable, light-weight, household or bathroom mirror; and

securing at least one removably attachable fastener to the mirror;

wherein the mirror is operably combined with a pre-existing mirror to form a system of at least two, separate and distinctly angled, mirrors.

23. (currently amended): The method of claim [[22]]29 further comprising the steps of removably attaching the at least one removably attachable fastener to a pre-existing mirror; and

adjusting an angle between the portable mirror and the stationary mirror to create a multi-angled effect.

24. (currently amended): The method of claim [[22]]29 wherein one portable mirror is operably placed towards a left side of the pre-existing mirror and a second portable mirror is operably placed towards a right side of the pre-existing mirror.

25. (currently amended): The method of claim [[22]]29 wherein the rotation enabling device comprises a living hinge or a continuous hinge.

26. (currently amended): The method of claim [[22]]29 wherein the removably attachable fastener comprises a clip, a hanger, a removable adhesive, or a suction cup.

27. (new): The mirror of claim 1 wherein the detachable mirror is operably mounted onto the face of, and adjustably angled by a user with respect to, the second mirror.

28. (new): The mirror assembly of claim 19 wherein the detachable mirror is operably and adjustably angled by a user with respect to the second mirror.

29. (new): The method of claim 22 wherein the light-weight mirror is operably mounted onto the face of, and adjustably angled by a user with respect to, the pre-existing mirror.